

Ni Foam-Supported Ni Nanoclusters for Enhanced Electrocatalytic Oxygen Evolution Reaction

Hoeun Seong^{1†}, Jinhee Kim^{1†}, Kiyoung Chang¹, Hyun-woo Kim¹, Woojun Choi², and Dongil Lee^{1*}

¹Department of Chemistry, Yonsei University, Seoul 03722, Republic of Korea

²Department of Chemistry and Medical Chemistry, Yonsei University, Wonju, Gangwon 26493, Republic of Korea




Fig. S1. Digital photograph of $\text{Ni}_6(\text{SEtPh})_{12}$ single crystals grown in a hexane/ CH_2Cl_2 solution.




Fig. S2. Digital Photographs of Ni_6 dipping suspension (a) without binder and with (b) PVDF and (c) Nafion binder.




Fig. S3. Reproducibility test of Ni_6 loading on the NF by the dipping process.

[†]These authors contributed equally to this work.

*E-mail address: dongil@yonsei.ac.kr

DOI: <https://doi.org/10.33961/jecst.2023.00024>

This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.